




European
Society of
Hypertension

9th Official pre-ESH Congress Satellite Symposium



DIFFICULT TO CONTROL HYPERTENSION & RELATED COMORBIDITIES



Scientific Program

Live Streaming: <https://projector-web.gr/dromena/en/esh2023>



Hellenic Society
of Hypertension



ESH Working Group
Interventional treatment
of Hypertension



University of Athens
School of Medicine



Hellenic Cardiological Society
Working Group
Arterial Hypertension



Institute for Study, Research
Education & Therapy of Vascular,
Heart, Brain, Kidney, Nosologies

31 March - 1 April 2023

Benaki Museum **Amphitheater**

138 Piraeus Street, **ATHENS**

Chairman: **C. Tsioufis**

Co-chairman: **R.E. Schmieder**

Focused sessions on Renal Denervation
and ESH Research projects with the
participation of ESH WGs
and Excellence Centers

www.acardio-ekpa.gr

www.inaken.gr

www.dromena.gr

Editorial

Dear Colleagues,

We are really very happy to welcome you again in Athens at the **9th Official pre-ESH International Congress Satellite Symposium**, entitled **“Update on difficult to Control Hypertension and Related Comorbidities”**, on **31 March @ 1 April 2023** at the **Benaki Museum Amphitheater (Piraeus Street)**.

Last June we also had the pleasure of holding in Athens the prestigious 31st European Meeting on Hypertension and Cardiovascular Protection that was indeed a great success in terms of the attendants' participation (both in person and virtually), as well as the high quality of the scientific programs and social events contained therein.


We are looking forward to your participation to the meeting that continues to maintain in its own distinct characteristics: interactive with short duration of presentations and assignment of one panelist per speaker, dedicated sessions to pharmacotherapy and renal denervation for management of uncontrolled hypertension in light of the upcoming ESH guidelines and session dedicated to ESH Research Projects with active involvement of leaders of ESH Excellence Centers.

Participants who are taking care of hypertensive patients (Cardiologists, Internists, Nephrologists, and General Practitioners) after completion of the Symposium will be able to transform into clinical practice the medical knowledge shared in the meeting, leading to better hypertension management.

Participate, learn and live the experience of the 9th Official pre-ESH Congress Satellite Symposium in Athens 31st March-1st April 2023.

With warm regards,

Costas Tsioufis



Chairman of the Symposium
President of ESH (2018-2019)

Roland E. Schmieder



Co-Chairman of the Symposium

Guido Grassi



President of ESH (2022-2024)

09.30-10.30 **WORKSHOP 1** (6 slides / 6 mins per presentation)

All you should know about ABPM

Coordinators: **A. Kollias (GR), E. Manios (GR)**

09.30-09.36 How to perform an ABPM

E. Manta (GR)

When to perform ABPM

I. Andrikou (GR)

How to interpret ABPM

D. Konstantinidis (GR)

ABPM vs home BP

M. Poikilidou (GR)

ABPM vs cuffless measurement devices

E. Triantafillidi (GR)

Questions from the fellows

N. Karaminas (GR), S. Drogharis (GR), D. Polyzos (GR), M. Kouremeti (GR), A. Mavroudis (GR)

10.30-12.00 **WORKSHOP 2** (6 slides / 6 mins per presentation)

How to interpret findings from TOD in hypertensive pts. A case based discussion

Coordinators: **M. Marketou (GR), T. Makris (GR)**

From ECG

P. Iliakis (GR)

From 24 ambulatory ECG

P. Papakonstantinou (GR)

From treadmill exercise test

V. Katsi (GR)

From cardiac echo

C. Grassos (GR)

From peripheral arteries (carotid IMT, ABI)

I. Kachrimanidis (GR)

From urinalysis

I. Tsoubou (GR)

From CT of thoracic /abdominal aorta

I. Liatakis (GR)

From CT/MRI renal arteries

F. Tatakis (GR)

Could artificial intelligence have a great role?

P. Tsioufis (GR)

Panelists: **D. Chatzis (GR), D. Gourlis (GR), E. Andrikou (GR), I. Papadakis (GR)**

- 12.00-13.00 Clinical relevance of adverse remodelling of microcirculation in hypertensive patients** (10 slides / 10 mins per presentation)
Coordinators: **A. Virdis*** (IT), **M. Dorobantu** (RO), **D. Tousoulis** (GR)
At the level of coronary circulation
K. Dimitriadis (GR)
At the level of cerebral circulation
C. Savvopoulos (GR)
At the level of kidney
A. Damianaki (GR)
At the level of eye
A. Triantafyllou (GR)
Panelists: **A. Sakalidis** (GR), **I. Dimitroglou** (GR), **M. Sonikian*** (GR), **I. Dalakouras** (GR)
- 13.00-14.00 LIGHT LUNCH**
- 14.00-15.00: Managing HTN in patients with CKD** (15 slides / 15 mins per presentation)
Chairpersons: **J.M. Halimi*** (FR), **D. Vlachakos** (GR)
BP targets in patients with CKD/ESRD? How to go there?
J.M. Halimi* (FR)
BP control in patients with polycystic kidney disease
R. Kalaitzidis (GR)
Treatment of atrial fibrillation in patients with advanced CKD and ESRD
P. Sarafidis (GR)
Panelists: **D. Petras** (GR), **S. Marinaki*** (GR)
- 15.00-16.00 Key studies for uncontrolled HTN from the recent AHA/ACC meetings** (20 slides / 20 mins per presentation)
Chairmen: **R. Kreutz** (DE), **E. Agabiti-Rosei*** (IT)
AHA 2022
J. Danser (NL)
ACC 2023
M. Doulas (GR)
Panelists: **Z. Jarai** (HU), **V. Kotsis*** (GR), **D. Konstantinidis** (GR)
- 16.00-16.30 COFFEE BREAK**
- 16.30-17.30 The “still-burning” questions for optimal management of hypertension (I)** (12 slides / 12 mins per presentation)
Chairmen: **M. Doulas** (GR), **A. Januszewicz** (PL)
Hyperaldosteronism; the right patient for being treated with MRA
M. Azizi (FR)
Renal artery stenosis. The right patient for renal artery stenting
A. Persu (BE)
HTN and OSAS. The right patient for CPAP therapy
K. Narkiewicz (PL)
The very elderly patients (over 85 years old). When and how to treat
A. Benetos* (FR)
Panelists: **P. Zebekakis** (GR), **E. Dri** (GR), **D. Papadopoulos** (GR), **A. Pittaras** (GR)

17.30-18.45 The “still-burning” questions for optimal management of hypertension (II) (10 slides / 10 mins per presentation)

Chairmen: **J. Brguljan (SI), A. Postadzhyan (BG)**

Hypertensive disorders during peri-partum. How to treat

C. Thomopoulos (GR)

History of pre eclampsia. How to improve the CV prognosis

J. Brguljan (SI)

Hyperadrenegic HTN. How to be treated

G. Grassi (IT)

The non adherent hypertensive patient. How to be treated

M. Burnier* (CH)

When to prescribe antiplatelet treatment to a hypertensive patient

L. Sorodoc* (RO)

Panelists: **A. Jelaković (HR), E. Sanidas (GR), B. Jelaković (HR)**

18.45-20.00 The “still-burning” questions for optimal management of hypertension (III) (10 slides / 10 mins per presentation)

Chairmen: **A. Protogerou (GR), D. Lovic (RS)**

HTN due to Anabolic /cannabis/cocaine. How to treat

E. Galiagkousi (GR)

HTN due to antineoplastic drugs. How to treat

P. Van de Borne (BE)

HTN post stroke. How to treat

P. Cunha (PT)

How to avoid dementia in a hypertensive patient

A. Coca (ES)

HTN in a diabetic patient. How to treat in the era of SGLT2I

C. Borghi (IT)

Questions from the fellows: **P. Theofilis (GR), N. Argyriou (GR), G. Koutsopoulos (GR), E. Karanikola (GR), V. Mantziaris (GR)**

08.45-09.30 **SPECIFIC LECTURES** (20 slides / 20 mins per presentation)

Chairmen: **J. Redon (ES), G. Mancia (IT)**

Non dipping profile. Pathophysiological and therapeutic considerations

G. Stergiou (GR)

Proteomic and metabolomic profile of comorbidities accompanied by hypertension

C. Delles (UK)

SESSIONS DEDICATED TO RENAL DENERVATION: RDN - PATHWAYS TO CLINICAL PRACTICE. SESSIONS ARE SUPPORTED BY A NON-RESTRICTED EDUCATIONAL GRANT BY MEDTRONIC, RECOR, ABLATIVE SOLUTIONS, KALOS MEDICAL

09.30-10.45 **SESSION 1** (12 slides / 12 mins per presentation)

Hypertension Management and Guidelines in 2023

Chairpersons: **G. Grassi (IT), J. Redon (ES)**

Moment of truth - Are we successfully achieving blood pressure control?

G. Mancia (IT)

Pharmacologic Approaches - What's new and what's changed

R. Kreutz (DE)

Interventional approaches, RDN - What's new and what's changed

M. Boehm (DE)

Panelists: **P. Van de Borne (BE), C. Borghi (IT), A. Coca (ES)**

10.45-11.45 **SESSION 2** (10 slides / 10 mins per presentation)

Innovation in Device-Based Technology - Latest Evidence

Chairpersons: **R.E. Schmieder (DE), S. Taddei (IT)**

Preclinical Studies of Renal Denervation and Application to Clinical Trials and Practice

A. Sharp (UK)

Evidence supporting the safety of renal denervation

P. Sarafidis (GR)

Evidence for the efficacy of renal denervation in reducing BP (office, 24h Ambulatory, home)

G. Parati (IT)

Evidence for the durability of renal denervation

J. Weil (DE)

Evidence for the reduction of cardiovascular events following renal denervation

F. Mahfoud (DE)

11.45-12.05 **COFFEE BREAK**

12.05-13.00 **SESSION 3** (10 slides / 10 mins per presentation)

RDN as the third pillar in the management of uncontrolled hypertension. A case - based discussion

Chairpersons: **M. Boehm (DE), F. Mahfoud (DE)**

Global renal denervation consensus update

R.E. Schmieder (DE)

The case of treatment resistant/ difficult to treat populations

C. Tsioufis (GR)

The case of hypertensive patients' preference/or intolerance to medications

A. Pathak (FR)

The case of hypertensive patient with comorbidities

M.R. Bruno (FR)

Panelists: **M. Azizi (FR), M. Doumas (GR), D. Hering (PL), M.R. Bruno (FR)**

13.00-14.00 SESSION 4 (12 slides / 12 mins per presentation)

Being familiar with the RDN procedure. Live in the box cases

Chairpersons: C. Tsioufis (GR), P. Davlouros (GR)

The radiofrequency procedure

K. Dimitriadis (GR)

The ultrasound procedure

A. Sharp (UK)

The chemical ablation

F. Mahfoud (DE)

Panelists: A. Ziakas (GR), S. Soulaïdopoulos (GR), L. Poulimenos* (GR), G. Triantis (GR)

14.00-14.30 LIGHT LUNCH

14.30-15.30 SATELLITE SYMPOSIUM (SOMNOmedics)

Chairman: G. Parati (IT)

The challenge of accurate blood pressure measurement

Importance of blood pressure measurement during night

G. Parati (IT)

Clinical challenges in ABPM - artifacts, measurement accuracy, and clinical classification

T.L. Bothe (DE)

Next generation of cuff-based ABPM

T. Visser (DE)

15.30-16.15 ROUND TABLE DISCUSSION I (10 slides / 10 mins per presentation)

Hot topics are waiting answers

Chairpersons: M. Azizi (FR), K. Narkiewicz (PL)

What is the evidence in other patient groups beyond hypertension?

D. Hering (PL)

Will we have an outcomes study?

S. Taddei (IT)

Is renal denervation cost effective?

R.E. Schmieder (DE)

16.15-17.00 ROUND TABLE DISCUSSION II (10 slides / 10 mins per presentation)

How to build a RDN program. The Multi-Disciplinary Approach to Hypertension Management

Chairmen: A. Sharp (UK), G. Parati (IT)

Structural requirement

S. Brouwers* (CH)

Clinical perspective

M. Azizi (FR)

The candidate perspective

A. Pathak (FR)

Communicating across specialties to ensure timely patient care - Patient follow up

M.R. Bruno (FR)

Patient preference

J. Weil (DE)

The Greek RDN Committee

C. Tsioufis (GR)

17.00-19.00 SESSION DEDICATED TO ESH RESEARCH PROJECTS (ESH WGS AND EXCELLENCE CENTERS INITIATIVES). THIS SESSION IS SUPPORTED BY A NON-RESTRICTED EDUCATIONAL GRANT BY SERVIER (6 slides / 6 mins per presentation)

Coordinators: **G. Grassi (IT), R. Kreutz (DE), C. Tsioufis (GR)**

1. ABPM during and after COVID-19 pandemic

A. Januszewicz (PL)

2. Blood pressure control in Europe: an update

A. Triantafyllou (GR), B. Jelaković (HR)

3. Hypertension and Post-Traumatic Stress Disorder in Ukrainian refugees

A. Persu (BE), M. Burnier* (CH), K. Narkiewicz (PL)

4. A. Emergency hypertension registry

C. Fragoulis (GR), C. Tsioufis (GR), M.L. Muiesan* (IT)

5. B. Malignant Arterial Hypertension (HAMA) registry

R. Boulestreau* (FR)

6. Initiative on transition of hypertensive youth from pediatric to adult care

S. Stabouli* (GR), E. Lurbe* (ES)

7. MASTER Study

G. Parati (IT)

8. Glaucoma and blood pressure project and registry

Z. Zhang (BE)

9. FMD Registry and Initiative (FEIRI)- extension beyond Europe

A. Persu (BE)

FACULTY

Agabiti-Rosei E. (IT)	Jarai Z. (HU)	Polyzos D. (GR)
Andrikou E. (GR)	Jelaković A. (HR)	Postadzhyan A. (BG)
Andrikou I. (GR)	Jelaković B. (HR)	Poulimenos L. (GR)
Argyriou N. (GR)	Kachrimanidis I. (GR)	Protogerou A. (GR)
Azizi M. (FR)	Kalaitzidis R. (GR)	Redon J. (ES)
Benetos A. (FR)	Karaminas N. (GR)	Sakalidis A. (GR)
Boehm M. (DE)	Karanikola E. (GR)	Sanidas E. (GR)
Borghi C. (IT)	Katsi V. (GR)	Sarafidis P. (GR)
Bothe T.L. (DE)	Kollias A. (GR)	Savvopoulos C. (GR)
Boulestreau R. (FR)	Konstantinidis D. (GR)	Schmieder R.E. (DE)
Brguljan J. (SI)	Kotsis V. (GR)	Sharp A. (UK)
Brouwers S. (CH)	Kouremeti M. (GR)	Sonikian M. (GR)
Bruno M.R. (FR)	Koutsopoulos G. (GR)	Sorodoc L. (RO)
Burnier M. (CH)	Kreutz R. (DE)	Soulaidopoulos S. (GR)
Chatzis D. (GR)	Liatakis I. (GR)	Stabouli S. (GR)
Coca A. (ES)	Lovic D. (RS)	Stergiou G. (GR)
Cunha P. (PT)	Lurbe E. (ES)	Taddei S. (IT)
Dalakouras I. (GR)	Mahfoud F. (DE)	Tatakis F. (GR)
Damianaki A. (GR)	Makris T. (GR)	Theofilis P. (GR)
Danser J. (NL)	Mancia G. (IT)	Thomopoulos C. (GR)
Davlouros P. (GR)	Manios E. (GR)	Tousoulis D. (GR)
Delles C. (UK)	Manta E. (GR)	Triantafyllidi E. (GR)
Dimitriadis K. (GR)	Mantziaris V. (GR)	Triantafyllou A. (GR)
Dimitroglou I. (GR)	Marinaki S. (GR)	Triantis G. (GR)
Dorobantu M. (RO)	Marketou M. (GR)	Tsioufis C. (GR)
Doumas M. (GR)	Mavroudis A. (GR)	Tsioufis P. (GR)
Dri E. (GR)	Muiesan M.L. (IT)	Tsoubou I. (GR)
Drogkaris S. (GR)	Narkiewicz K. (PL)	Van de Borne P. (BE)
Fragoulis C. (GR)	Papadakis I. (GR)	Virdis A. (IT)
Galiagkousi E. (GR)	Papadopoulos D. (GR)	Visser T. (DE)
Gourlis D. (GR)	Papakonstantinou P. (GR)	Vlachakos D. (GR)
Grassi G. (IT)	Parati G. (IT)	Weil J. (DE)
Grassos C. (GR)	Pathak A. (FR)	Zebekakis P. (GR)
Halimi J.M. (FR)	Persu A. (BE)	Zhang Z. (BE)
Hering D. (PL)	Petrus D. (GR)	Ziakas A. (GR)
Iliakis P. (GR)	Pittaras A. (GR)	
Januszewicz A. (PL)	Poikilidou M. (GR)	

TRIATEC[®]



ramipril

Triatec plus[®]

ramipril + hydrochlorothiazide (5+25)mg

Triacor[®]

ramipril + felodipine (5+5)mg

Συσκευασία	Λιανική Τιμή (+ΦΠΑ)
TRIATEC TAB 2,5MG/TAB BTx20	4,65
TRIATEC TAB 5MG/TAB BTx20	5,66
TRIATEC PLUS TAB (5+25)MG/TAB BTx20	7,00
TRIACOR PR.TAB (5+5)MG/TAB BTx28	6,60

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή και Αναφέρετε ΟΛΕΣ τις ανεπιθύμητες ενέργειες για ΟΛΑ τα φάρμακα Συμπληρώνοντας την «ΚΙΤΡΙΝΗ ΚΑΡΤΑ»

Πριν τη συνταγογράφηση συμβουλευτείτε τις ΠΧΠ τις οποίες μπορείτε να ζητήσετε από την εταιρία στο τηλ. 210 9001600 ή στο medicalinformation.greece@sanofi.com. Για περισσότερες πληροφορίες ή τυχόν αναφορά Ανεπιθύμητων Ενεργειών παρακαλούμε επικοινωνήστε με: ΙΑΤΡΙΚΗ & ΕΠΙΣΤΗΜΟΝΙΚΗ ΔΙΕΥΘΥΝΣΗ, ΤΜΗΜΑ ΙΑΤΡΙΚΗΣ ΠΛΗΡΟΦΟΡΗΣΗΣ, Τηλ. 210 9001 600, medicalinformation.greece@sanofi.com.

Τρόπος διάθεσης: Φαρμακευτικό προϊόν για το οποίο απαιτείται ιατρική συνταγή.

sanofi

Sanofi-aventis A.E.B.E. Αθήνα: Λεωφ. Συγγρού 348, Κτίριο Α', 176 74 Καλλιθέα,
Τηλ.: 210 90 01 600, Fax: 210 92 49 129, www.sanofi.gr



PP-XAR-GR-0461-1
02.2022



Bayer

Κάτοχος της άδειας κυκλοφορίας:
Bayer AG, 51368 Leverkusen, Γερμανία.
Τοπικός αντιπρόσωπος του κατόχου αδείας
κυκλοφορίας στην Ελλάδα: Bayer Ελλάς
ABEE, Σωρού 18-20, 151 25 Μαρούσι.
Τοπικός αντιπρόσωπος του κατόχου αδείας
κυκλοφορίας στην Κύπρο: Novagem Ltd,
Τηλ: 00357 22483858.

Τμήμα Επιστημονικής Ενημέρωσης
Τηλ: +30 210 6187742, Fax: +30 210 6187522
Email: medinfo.gr.cy@bayer.com

Εταιρεία συμπτώωσης



ELPEN Α.Ε. ΦΑΡΜΑΚΕΥΤΙΚΗ ΒΙΟΜΗΧΑΝΙΑ
Λεωφ. Μαραθώνος 95, 190 09 Πικέρμι Αττικής,
Τηλ: 210 6039326 - 9, Fax: 210 6039300
ΓΡΑΦΕΙΑ ΕΠΙΣΤΗΜΟΝΙΚΗΣ ΕΝΗΜΕΡΩΣΗΣ
Σεβαστείας 11, 115 28 Αθήνα,
Τηλ: 210 7488711, Fax: 210 7488731
Εθν. Αντιστάσεως 114, 551 34 Θεσσαλονίκη,
Τηλ: 2310 459920 - 1, Fax: 2310 459269



Xarelto[®]

rivaroxaban

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή και
Αναφέρετε
ΟΛΕΣ τις ανεπιθύμητες ενέργειες για
ΟΛΑ τα φάρμακα
Συμπληρώνοντας την «ΚΙΤΡΙΝΗ ΚΑΡΤΑ»



Valsimia[®]

αμλοδιπίνη/βαλσαρτάνη

ΟΝΟΜΑΣΙΑ - ΜΟΡΦΗ - ΠΕΡΙΕΚΤΙΚΟΤΗΤΑ	Λ.Τ.
VALSIMIA F.C.TAB (5+160)MG/TAB ΒΤx30 δισκία σε BLISTERS (PVC/PVDC/Aluminium)	8,58 €
VALSIMIA F.C.TAB (10+160)MG/TAB ΒΤx30 δισκία σε BLISTERS (PVC/PVDC/Aluminium)	8,85 €



Valsimia[®] HCT

αμλοδιπίνη/βαλσαρτάνη/υδροχλωροθειαζίδη

ΟΝΟΜΑΣΙΑ - ΜΟΡΦΗ - ΠΕΡΙΕΚΤΙΚΟΤΗΤΑ	Λ.Τ.
VALSIMIA HCT F.C.TAB (5+160+12.5)MG/TAB ΒΤx30 δισκία σε BLISTERS (PVC/PVDC/Aluminium)	9,46 €
VALSIMIA HCT F.C.TAB (5+160+25)MG/TAB ΒΤx30 δισκία σε BLISTERS (PVC/PVDC/Aluminium)	10,35 €
VALSIMIA HCT F.C.TAB (10+160+12.5)MG/TAB ΒΤx30 δισκία σε BLISTERS (PVC/PVDC/Aluminium)	11,53 €
VALSIMIA HCT F.C.TAB (10+160+25)MG/TAB ΒΤx30 δισκία σε BLISTERS (PVC/PVDC/Aluminium)	11,72 €
VALSIMIA HCT F.C.TAB (10+320+25)MG/TAB ΒΤx30 δισκία σε BLISTERS (PVC/PVDC/Aluminium)	18,83 €



ELPEN Α.Ε. ΦΑΡΜΑΚΕΥΤΙΚΗ ΒΙΟΜΗΧΑΝΙΑ
Λεωφ. Μαραθώνος 95, 190 09 Πικέρμι Αττικής,
Τηλ.: 210 6039326-9, Fax: 210 6039300
www.elpen.gr

ΓΡΑΦΕΙΑ ΕΠΙΣΤΗΜΟΝΙΚΗΣ ΕΝΗΜΕΡΩΣΗΣ
Σεβαστείας 11, 115 28 Αθήνα,
Τηλ.: 210 7488711, Fax: 210 7488731
Εθν. Αντιστάσεως 114, 551 34 Θεσσαλονίκη,
Τηλ.: 2310 459920-1, Fax: 2310 459269

Για συνταγογραφικές πληροφορίες συμβουλευτείτε
την ΠΧΠ ή απευθυνθείτε στην εταιρεία ELPEN.

Φαρμακευτικά προϊόντα για τα οποία
απαιτείται ιατρική συνταγή.

Αναφέρετε κάθε εικαζόμενη/πιθανολογούμενη
ανεπιθύμητη ενέργεια απευθείας στον ΕΟΦ,
σύμφωνα με το εθνικό σύστημα αναφοράς
ανεπιθύμητων ενεργειών.

Eliquis[™] apixaban

Κάθε επικαλυμμένο με λεπτό υμένιο
δισκίο περιέχει 2,5 mg ή 5 mg apixaban.



Για πλήρεις συνταγογραφικές πληροφορίες συμβουλευθείτε την Περίληψη
Χαρακτηριστικών του Προϊόντος που διατίθεται από την εταιρεία.

PFIZER ΕΛΛΑΣ Α.Ε. Λεωφ. Μεσογείων 243, Ψυχικό 15451, Αθήνα, Ελλάδα,
Τηλ. Επικοινωνίας 210 67 85 800, Αριθ. Γ.Ε.ΜΗ. 000242901000.

PFIZER ΕΛΛΑΣ Α.Ε. (CYPRUS BRANCH) Λεωφ. Αθαλάσσης 26, 2018,
Λευκωσία, Κύπρος, Τηλ.: +357 22 817690.

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή και
ΑΝΑΦΕΡΕΤΕ ΟΛΕΣ τις ανεπιθύμητες ενέργειες για **ΟΛΑ**
τα φάρμακα συμπληρώνοντας την "Κίτρινη Κάρτα"

PP-ELI-GRC-0923-JAN23



edarbi[®]

azilsartan medoxomil

40 mg • 80 mg tablets



ΠΕΡΙΛΗΨΗ ΤΩΝ ΧΑΡΑΚΤΗΡΙΣΤΙΚΩΝ ΤΟΥ ΠΡΟΪΟΝΤΟΣ

1. ΟΝΟΜΑΣΙΑ ΤΟΥ ΦΑΡΜΑΚΕΥΤΙΚΟΥ ΠΡΟΪΟΝΤΟΣ: Edarbi 20 mg δισκία, Edarbi 40 mg δισκία, Edarbi 80 mg δισκία. **2. ΠΟΙΟΤΙΚΗ ΚΑΙ ΠΟΣΟΤΙΚΗ ΣΥΝΘΕΣΗ:** Edarbi 20 mg δισκία: Κάθε δισκίο περιέχει 20 mg μεδοξομιλικής αζιλαρτάνης (ως κάλιο). Edarbi 40 mg δισκία: Κάθε δισκίο περιέχει 40 mg μεδοξομιλικής αζιλαρτάνης (ως κάλιο). Edarbi 80 mg δισκία: Κάθε δισκίο περιέχει 80 mg μεδοξομιλικής αζιλαρτάνης (ως κάλιο). Για τον πλήρη κατάλογο των εκδόχων, βλ. παράγραφο 6.1. **3. ΦΑΡΜΑΚΟΤΕΧΝΙΚΗ ΜΟΡΦΗ:** Δισκίο. Edarbi 20 mg δισκία: Λευκά έως σχεδόν λευκά στρογγυλά δισκία, διαμέτρου 6,0 mm, με ανάγλυφο το "ASL" από τη μια πλευρά και "20" από την άλλη. Edarbi 40 mg δισκία: Λευκά έως σχεδόν λευκά στρογγυλά δισκία, διαμέτρου 7,6 mm, με ανάγλυφο το "ASL" από τη μια πλευρά και "40" από την άλλη. Edarbi 80 mg δισκία: Λευκά έως σχεδόν λευκά στρογγυλά δισκία, διαμέτρου 9,6 mm, με ανάγλυφο το "ASL" από τη μια πλευρά και "80" από την άλλη. **7. ΚΑΤΟΧΟΣ ΤΗΣ ΑΔΕΙΑΣ ΚΥΚΛΟΦΟΡΙΑΣ:** Takeda Pharma A/S, Delta Park 45, 2665 Vallengbaek Strand, Dania. **8. ΑΡΙΘΜΟΣ(ΟΙ) ΑΔΕΙΑΣ ΚΥΚΛΟΦΟΡΙΑΣ:** EU/1/11/734/001 14 δισκία, EU/1/11/734/002 28 δισκία, EU/1/11/734/012 30 δισκία, EU/1/11/734/003 56 δισκία, EU/1/11/734/013 90 δισκία, EU/1/11/734/004 98 δισκία, EU/1/11/734/005 14 δισκία, EU/1/11/734/006 28 δισκία, EU/1/11/734/014 30 δισκία, EU/1/11/734/007 56 δισκία, EU/1/11/734/015 90 δισκία, EU/1/11/734/008 98 δισκία, EU/1/11/734/016 14 δισκία, EU/1/11/734/009 28 δισκία, EU/1/11/734/017 30 δισκία, EU/1/11/734/010 56 δισκία, EU/1/11/734/018 90 δισκία, EU/1/11/734/011 98 δισκία, EU/1/11/734/019 14 δισκία, EU/1/11/734/020 28 δισκία, EU/1/11/734/021 56 δισκία, EU/1/11/734/022 98 δισκία, EU/1/11/734/023 14 δισκία, EU/1/11/734/024 28 δισκία, EU/1/11/734/025 56 δισκία, EU/1/11/734/026 98 δισκία, EU/1/11/734/027 14 δισκία, EU/1/11/734/028 28 δισκία, EU/1/11/734/029 56 δισκία, EU/1/11/734/030 98 δισκία. **10. ΗΜΕΡΟΜΗΝΙΑ ΑΝΑΘΕΩΡΗΣΗΣ ΤΟΥ ΚΕΙΜΕΝΟΥ:** 24-02-2022. Λεπτομερείς πληροφορίες για το παρόν φαρμακευτικό προϊόν είναι διαθέσιμες στον δικτυακό τόπο του Ευρωπαϊκού Οργανισμού Φαρμάκων: <http://www.ema.europa.eu>.

Πριν τη συνταγογράφηση του προϊόντος παρακαλώ συμβουλευθείτε την πλήρη Περιλήψη Χαρακτηριστικών του Προϊόντος που διατίθεται από τον ΚΑΚ

Τρόπος διάθεσης: Φαρμακευτικό προϊόν για το οποίο απαιτείται ιατρική συνταγή

EDARBI 40 mg BT x 28 TABS 16,07€, EDARBI 80 mg BT x 28 TABS 25,41€



BIANEX A.E.
ΒΙΟΜΗΧΑΝΙΑ ΦΑΡΜΑΚΩΝ
ΕΤΑΙΡΕΙΑ ΤΟΥ ΟΜΙΛΟΥ ΓΙΑΝΝΑΚΟΠΟΥΛΟΥ

BIANEX A.E. - Έδρα : οδός Τατσίου, 18* χλμ. Ε.Ο. Αθηνών – Λαμίας,
146 71 Ν. Ερυθραία Αττικής, Ταχ. Θυρίδα 52894, 146 10 Ν. Ερυθραία,
Τηλ. : 210 8009111 • Fax: 210 8071573 • E-mail: mailbox@vianex.gr
WEBSITE: www.vianex.gr • ΘΕΣΣΑΛΟΝΙΚΗ: Ακαδημίου 113,
562 24 Εύσομος Θεσσαλονίκης, Τηλ.: 2310 861683

ΑΡ. Γ.Ε.ΜΗ. 000274201000



Takeda Pharma A/S
Dybendal Alle 10, 2630 Taastrup
Dania

Βεβαιώνει να γίνεται το φάρμακο που αγοράσέ και
αναφέρεται
ΟΛΕΣ τις αναπαραγωγές ενέργειας για
ΟΛΑ τα φάρμακα
Συμπληρώνοντας την «ΚΕΤΤΗΝ ΕΚΡΕΤΑ»

VE-22145-EDA-9/2022

TRI-σδιάστατη διαχείριση της υπέρτασης

TRIPLIXAM®

περινδοπρίλη αργινίνη ινδαπαμίδη αμλοδιπίνη

COVERAM®

περινδοπρίλη αργινίνη αμλοδιπίνη

COVERSYL®

περινδοπρίλη αργινίνη



COVERSYL 5 mg/tab: Α.Τ. €5,20, COVERSYL 10 mg/tab: Α.Τ. €5,66,
COVERAM (5+5) mg/tab Α.Τ. €6,92, COVERAM (5+10) mg/tab Α.Τ. €6,96,
COVERAM (10+5) mg/tab Α.Τ. €10,44, COVERAM (10+10) mg/tab Α.Τ. €10,53,
TRIPLIXAM (5+1,25+5) mg/tab Α.Τ. €8,55, TRIPLIXAM (5+1,25+10) mg/tab: Α.Τ. €9,65,
TRIPLIXAM (10+2,5+5) mg/tab: Α.Τ. €11,99, TRIPLIXAM (10+2,5+10) mg/tab: Α.Τ. €12,99

Πριν τη συνταγογράφηση συμβουλευτείτε την Π.Χ.Π. που διατίθεται από τον διανομέα
SERVIER HELLAS ΦΑΡΜΑΚΕΥΤΙΚΗ ΕΠΕ
Φραγκοκλησιάς 7, 15125 Μαρούσι. Τηλ 210 9391000 - www.servier.gr

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή και Αναφέρετε:
ΟΛΕΣ τις ανεπιθύμητες ενέργειες για ΟΛΑ τα Φάρμακα
Συμπληρώνοντας την «ΚΙΤΡΙΝΗ ΚΑΡΤΑ»



Μη γίνεσαι γιατρός
του εαυτού σου



Εκστρατεία ευαισθητοποίησης για την ορθή
χρήση των φαρμάκων

SERVIER 
moved by you

Unidone[®]

δισκία
χλωροθαλιδόνη

**Ισχυρό & μακράς διάρκειας δράσης,
διουρητικό θειαζιδικού τύπου¹**



1. Redefining Diuretics Use in Hypertension: why select a thiazide like diuretic. Review, Journal of Hypertension 2019; 37: 1574-1586

ΠΕΡΙΛΗΨΗ ΤΩΝ ΧΑΡΑΚΤΗΡΙΣΤΙΚΩΝ ΤΟΥ ΠΡΟΪΟΝΤΟΣ (S P C)

ΟΝΟΜΑΣΙΑ ΤΟΥ ΦΑΡΜΑΚΕΥΤΙΚΟΥ ΠΡΟΪΟΝΤΟΣ: UNIDONE 25 mg/Tab, Δισκία. **ΠΟΙΟΤΙΚΗ ΚΑΙ ΠΟΣΟΤΙΚΗ ΣΥΝΘΕΣΗ:** Κάθε δισκίο περιέχει 25 mg χλωροθαλιδόνης. **ΦΑΡΜΑΚΟΤΕΧΝΙΚΗ ΜΟΡΦΗ:** Δισκία. **ΚΛΙΝΙΚΕΣ ΠΛΗΡΟΦΟΡΙΕΣ:** Θεραπευτικές ενδείξεις: Το UNIDONE ενδείκνυται για τη θεραπεία της αρτηριακής υπέρτασης, ιδιοπαθούς ή νεφρογενούς ή μεμονωμένης συστηματικής χρόνιας σταθερής καρδιακής ανεπάρκειας ήπιου έως μέτριου βαθμού (κατηγορία II ή III σύμφωνα με την κατάταξη της NYHA). Ολόγραμμα συγκεκρωμένης πρόκλησης. 1) Ασκήτης που οφείλεται σε κίρρωση του ήπατος σε σταθεροποιημένους ασθενείς από στενή παρακολούθηση. 2) Οίδημα λόγω νεφρωσικού συνδρόμου. Άπικος διαβήτης. **Δοσολογία και τρόπος χορήγησης:** Ενήλικες: Υπέρταση: Η συνιστώμενη δόση έναρξης είναι 25 mg/ημέρα. Σταθερή, χρόνια καρδιακή ανεπάρκεια (NYHA, λειτουργική κατηγορία III/IV): Η συνιστώμενη αρχική δόση είναι 25 έως 50 mg/ημέρα, ενώ σε σοβαρές περιπτώσεις μπορεί να αυξηθεί έως και 100 με 200 mg/ημέρα. Ολόγραμμα συγκεκρωμένης πρόκλησης: Συνιστάται οι δόσεις να μην υπερβαίνουν τα 50 mg/ημέρα. Άπικος διαβήτης: Αρχικά χορηγούνται 100 mg δύο φορές ημερησίως, ενώ όπως κρίνεται εφικτό προτιμάται μείωση της ημερήσιας δόσης συντήρησης σε 50 mg. **Αντενδείξεις:** Αναιμία, σοβαρή ηπατική ή νεφρική ανεπάρκεια (κλάση κρεατινίνης <30 mL/λεπτό), ανθεκτική υποκαλιμία ή κατάσταση που έχουν σαν αποτέλεσμα αυξημένη απώλεια καλίου, υπονατρίαμία και υπερσοβαστομία, συμπτωματική υπερούρηγμα, υπέρταση κατά τη διάρκεια της εγκυμοσύνης, νόσος του Addison που δεν έχει αντιμετωπιστεί και αναγορρομένη θεραπεία λήθου. **Ειδικές προειδοποιήσεις και προφυλάξεις κατά τη χρήση:** Το UNIDONE πρέπει να χρησιμοποιείται με προσοχή σε ασθενείς με έκπτωση της ηπατικής λειτουργίας ή προοδευτική ηπατική βλάβη, ασθενείς με βαριά νεφροπάθεια. **Ανεπιθύμητες ενέργειες:** Πολύ συχνές (≥1/10): κυρίως σε υψηλότερες δόσεις, υποκαλιμία, υπερούρηγμα και υπερλπιδώματα. Συχνές (≥1/100 έως <1/10): Υπονατρίαμία, υπομαγνησιαμία και υπερηλυκαμία, ίληγος, αρθροστατική υπόταση, που μπορεί να επιδεινωθεί από ονόνευμα, αναισθητικά ή κατασταλτικά, κνίδωση και άλλες μορφές εξάνθηματος, στατική δυσλειτουργία, αδυναμία.

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή και αναφέρετε ΟΛΕΣ τις ανεπιθύμητες ενέργειες για ΟΛΑ τα φάρμακα συμπληρώνοντας την "ΚΙΤΡΙΝΗ ΚΑΡΤΑ".

Α.Τ. (Unidone): 1,61 €




Pharmaceutical Laboratories S.A.

14^η χλμ. Εθνικής Οδού 1, 145 64 Κηφισιά, Τηλ.: 210-80 72 512, e-mail: unipharma@uni-pharma.gr

www.uni-pharma.gr

Topress

OLMESARTAN MEDOXOMIL/AMLODIPINE



ΕΙΣΑΓΩΓΗ

Topress ADV01 07/2021

Βοηθήστε να γίνουν τα φάρμακα πιο ασφαλή και
Αναφέρετε

ΟΛΕΣ τις ανεπιθύμητες ενέργειες για
ΟΛΑ τα φάρμακα

Συμπληρώνοντας την «ΚΙΤΡΙΝΗ ΚΑΡΤΑ»

WinMedica
Serving Health for Life

Για περισσότερες πληροφορίες συμβουλευθείτε
την Περίληψη Χαρακτηριστικών του Προϊόντος

Οδός 1-3 & Παράδρομος Αττικής Οδού 33-35
Τ.Κ. 15238, Χαλάνδρι | Τηλ.: 210 7488 821
Fax: 210 7488 827 | E-mail: info@winmedica.gr

SPONSORS

ABLATIVE
SOLUTIONS

AMGEN®

Bayer

Bennett
PHARMACEUTICALS

ELPEN

eviviosmed
HEALTHY LIVING

Galenica a.e.

Guidotti Hellas

innovis
Future health today

KALOS MEDICAL

Medtronic
Engineering the extraordinary

Menarini Hellas

Pfizer

ReCor Medical
Ultrasound Denervation Therapies

sanofi

SERVIER
moved by you

SOMNO
medics

UNI-PHARMA
Pharmaceutical Laboratories

VIANEX
PHARMACEUTICAL MANUFACTURERS
MEMBER OF GIANNAKOPOULOS GROUP

VIATRIS

WinMedica
Serving Health for Life

GENERAL INFORMATION

9th Official pre-ESH International Congress Satellite Symposium

Update on Difficult to Control Hypertension and Related Comorbidities

Chairman: **C. Tsioufis**

Co-Chairman: **R.E. Schmieder**

Venue location & Dates

The official pre-ESH International Congress Satellite Symposium will be held from Friday, March 31st to Saturday, April 1st 2023 in Athens, at BENAKI MUSEUM (138 Piraeus str., 118 54 Athens, Greece, <http://www.benaki.gr>)

Registration - Certificate of Attendance

The registration fee for all participants is 200,00 €. All registered participants are entitled to receive a Certificate of Attendance.

The Certificate will be issued only upon display of participant badge, which will be issued by the Symposium secretariat and only upon satisfactory attendance.

Official Language

The official language of the course is English.

Live Streaming

<https://projector-web.gr/dromena/en/esh2023>

Exhibition

The Symposium will be accompanied by a major exhibition where pharmaceutical and/or equipment/device industries will display relevant products and therapeutic developments.

Organizing Bureau - Secretariat

Dromena Meetings & Events

22 Feidippidou st 11527 Athens-Greece

tel: +30 2103005545

email: info@dromena.gr



European
Society of
Hypertension



32nd EUROPEAN MEETING ON HYPERTENSION AND CARDIOVASCULAR PROTECTION

MILAN, JUNE 23-26, 2023

Allianz MiCo - Milan, Italy

HYBRID

Discover the
NEW
EUROPEAN GUIDELINES
ON HYPERTENSION!

ORGANISING AND
SCIENTIFIC SECRETARIAT



STAY UPDATED ON
WWW.ESH2023.EU